

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	225	api same server same calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 10:22
L12	118	11 and (application near2 programming near2 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 10:22
L13	4	12 and (receiv\$3 with reminder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 10:23
L14	2	((@rlad<"20030610") or (@ad<"20030610")) and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/18 10:24
S1	1	("20070060107").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/21 10:10
S2	1	("6940395").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/21 10:11
S3	556	340/309.16.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/21 17:58
S4	3	S3 and hotel and (phone or telephone) and wireless and alarm and server and application and default	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/21 18:01
S5	3133	455/550.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/21 18:08
S6	1	S5 and hotel and (phone or telephone) and wireless and alarm and server and application and default	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/21 18:08
S7	830	455/404.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/21 18:10
S8	1	S7 and hotel and (phone or telephone) and wireless and alarm and server and application and default	US-PGPUB; USPAT; USOCR	OR	ON	2008/07/21 18:11
S9	1	("20030001727").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/07/28 08:43

S10	145	((user or end-user) with enter \$2 with (modify\$3 or modification or chang\$3)) same calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 18:53
S12	87	S10 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:04
S13	5	((user or end-user) with enter \$2 with (modify\$3 or modification or chang\$3)) same calendar same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:05
S14	4	S13 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:05
S15	4	S10 and alarm and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:06
S16	2	S15 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:06
S17	2731	((user or end-user) with (modify\$3 or modification or chang\$3)) same calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:07
S18	224	S17 and alarm and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:07
S19	1771	((user or end-user) near5 (modify\$3 or modification or chang\$3)) same calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:08
S20	88	S19 and alarm and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:09

S21	6	S20 and (455/4\$\$\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:09
S22	3	S21 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:09
S23	10556	((user or end-user) near5 (modify\$3 or modification or chang\$3) with (wireless or mobile or cell or cellular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:24
S24	120	((user or end-user) near5 (modify\$3 or modification or chang\$3) with (wireless or mobile or cell or cellular)) same calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:24
S25	31	S24 and (455/4\$\$\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:25
S26	17	S25 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:25
S27	12	S25 and ((@rlad<"20030610") or (@ad<"20030610")) and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:25
S28	3	S25 and ((@rlad<"20030610") or (@ad<"20030610")) and (profile with updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:25
S29	6	S25 and ((@rlad<"20030610") or (@ad<"20030610")) and real-time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:36
S30	764	(user or end-user) near5 (modify\$3 or modification or chang\$3) with calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:43

S31	11	((user or end-user) near5 (modify\$3 or modification or chang\$3) with calendar) same alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:44
S32	1	S31 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:47
S35	28	(user near5 update near5 calendar) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:49
S36	0	(user near5 update near5 calendar near5 real-time) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:50
S37	4	S35 and real-time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:50
S38	1	S37 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 19:50
S39	230	((user near5 updat\$3 near5 (profile or calendar)) same feature) and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:03
S40	11	((user near5 updat\$3 near5 (profile or calendar)) same (feature near5 (modify\$3 or modification or chang\$3))) and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:05
S41	0	S40 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:05
S42	0	S40 and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:05

S43	17	(user with updat\$3 with alarm) and ((@rlad<"20030610") or (@ad<"20030610")) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:08
S44	4	S43 and calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:08
S45	1	S43 and calendar and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:08
S46	1	S43 and calendar and profile and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:08
S47	390	(user or end-user) and (time-sensitive or time-critical) and (agenda or calendar) and application and meeting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:15
S48	14	S47 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:15
S49	10	S48 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:15
S50	4	S48 and ((@rlad<"20030610") or (@ad<"20030610")) and profile and features	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:16
S51	4	S48 and ((@rlad<"20030610") or (@ad<"20030610")) and profile and feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:16
S52	30	(calendar and feature).ab. and ((@rlad<"20030610") or (@ad<"20030610")) and profile and feature	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:18

S53	6	S52 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:19
S54	2925	((modify\$3 or modification or chang\$3) with (behavior or feature or function) with (mobile or wireless or cell or cellular)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:30
S55	317	(user with (modify\$3 or modification or chang\$3) with (behavior or feature or function) with (mobile or wireless or cell or cellular)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:30
S56	91	S55 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:31
S57	7	S56 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:31
S58	1	S56 and (455/4\$\$ccls.) and calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:32
S59	1	S56 and (455/4\$\$ccls.) and calendar and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:32
S60	1	S56 and (455/4\$\$ccls.) and calendar and alarm and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:32
S61	3971	((modify\$3 or modification or chang\$3) with (schedule or agenda or calendar or appointment)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:41
S62	38	S61 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:42

S63	478	(user with (modify\$3 or modification or chang\$3) with (schedule or agenda or calendar or appointment)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:42
S64	14	S63 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:42
S65	10	S64 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:43
S66	2	S65 and alarm and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:44
S67	388	(behavior near5 (mobile or wireless or cell or cellular)) and (455/4\$\$ccls.) and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:57
S68	31	(behavior near5 (mobile or wireless or cell or cellular)).ab. and (455/4\$\$ccls.) and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:57
S69	0	S68 and calendar and (alarm or alert) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:57
S70	3	S68 and calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:58
S71	0	S68 and calendar and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:58
S72	0	S68 and calendar and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:58

S73	3	S68 and calendar and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 20:58
S74	0	((user with (modify\$3 or modification or chang\$3) with (feature or function)) same during)).ab. and calendar and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:02
S75	1	((user with (modify\$3 or modification or chang\$3) with (profile)) same during)).ab. and calendar and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:03
S76	33	((user with (modify\$3 or modification or chang\$3)) same during)).ab. and calendar and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:04
S77	2	S76 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:04
S78	0	S77 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:04
S79	26	(user with (feature or function) with during).ab. and (455/4\$\$ ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:05
S80	12	S79 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:05
S81	0	S79 and ((@rlad<"20030610") or (@ad<"20030610")) and calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:05
S82	546	(based with calendar with event) and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:07

S83	33	S82 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:07
S84	31	S83 and (alarm or alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:08
S85	12	S83 and (alarm or alert) and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:08
S86	2	S83 and (alarm or alert) and profile and alarm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/15 21:11
S88	57	((application or software) and (user near5 control\$4) and calendar).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 13:52
S89	14	S88 and (alarm or alert)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 13:52
S90	3	S88 and (alarm or alert) and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 13:52
S91	1	S90 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 13:53
S92	0	S91 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 13:53
S93	2	("6831970").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/04/16 13:57

S94	1	(conflicting adj profiles) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 18:59
S95	0	S94 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 18:59
S96	27	(conflict\$3 with profiles) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:10
S97	13	S96 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:10
S98	7	S96 and ((@rlad<"20030610") or (@ad<"20030610")) and calendar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:18
S99	17	calendar\$3 and (455/4\$\$ccls.) and (profile with priorit\$3) and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:33
S100	15	calendar\$3 and (455/4\$\$ccls.) and (profile with priorit\$3) and ((@rlad<"20030610") or (@ad<"20030610")) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:33
S101	4	(behavior with mobile) and (profile with priorit\$3) and ((@rlad<"20030610") or (@ad<"20030610")) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:50
S102	68	(behavior with (mobile or cell or cellular or wireless)) and (behavior with priorit\$3) and ((@rlad<"20030610") or (@ad<"20030610")) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:54
S103	62	S102 and (schedule or meeting or calendar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:54

S104	2	S102 and (calendar)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:54
S105	3	S102 and (calendar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:55
S106	0	((during with meeting) with (mobile or cell or cellular or wireless)) and ((behavior or profile) with priorit\$3) and ((@rlad<"20030610") or (@ad<"20030610")) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:57
S107	1	((during with meeting) with (mobile or cell or cellular or wireless)) and ((behavior or profile or conflict\$3) with priorit\$3) and ((@rlad<"20030610") or (@ad<"20030610")) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:57
S108	17	(during with meeting with chang\$3) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:58
S109	12	S108 and (user with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 19:59
S110	0	S109 and (meeting with profile with ("same" adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:01
S111	0	(455/4\$\$ccls.) and (meeting with profile with ("same" adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:01
S112	91	(455/4\$\$ccls.) and (profile with ("same" adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:01
S113	40	(455/4\$\$ccls.) and (profile near5 ("same" adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:01

S114	0	(455/4\$\$ccls.) and ((profile near5 ("same" adj time)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:02
S115	0	(455/4\$\$ccls.) and ((profile with ("same" adj time)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:02
S116	24	S113 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:03
S117	5	S116 and meeting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:03
S118	0	S116 and meeting and calendar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:03
S119	8	S116 and (meeting or calendar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:03
S120	21	(455/4\$\$ccls.) and (profile with ("same" adj time)) and calendar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:06
S121	8	S120 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:06
S122	0	(deci\$4 with (which adj profile)) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:08
S123	0	(which adj profile) and (455/4\$\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:08

S124	275	(deci\$4 with profile) and (455/4 \$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:09
S125	124	(deci\$4 near5 profile) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:09
S126	15	S125 and calendar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:09
S127	10	S126 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/16 20:09
S128	17	(during with meeting with chang\$3) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 07:40
S129	12	S128 and (user with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 07:40
S130	40	(455/4\$\$ccls.) and (profile near5 ("same" adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 07:48
S131	24	S130 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 07:48
S132	21	(455/4\$\$ccls.) and (profile with ("same" adj time)) and calendar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 07:49
S133	21	"10/012746" or "10012746"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 07:57

S134	369	((conflict\$3 or simultaneous\$2 or ("same" adj time)) with profile) and ((455/4\$\$ccls.) or ("379"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:26
S135	69	S134 and calendar\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:27
S136	65	S134 and calendar\$3 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:27
S137	192	((conflict\$3 or simultaneous\$2 or ("same" adj time)) with profile) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:28
S138	31	S137 and calendar\$3 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:28
S139	12	S138 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:28
S140	9	S138 and ((@rlad<"20030610") or (@ad<"20030610")) and meeting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:29
S141	0	S138 and ((@rlad<"20030610") or (@ad<"20030610")) and meeting and silent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:29
S142	0	S136 and ((@rlad<"20030610") or (@ad<"20030610")) and meeting and silent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:30
S143	17	S136 and ((@rlad<"20030610") or (@ad<"20030610")) and meeting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:30

S144	2796	((conflict\$3 or simultaneous\$2 or ("same" adj time)) with (mode or feature or function)) same profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:36
S145	69	S135 and ((455/4\$\$ccls.) or ("379"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:36
S146	65	S145 and calendar\$3 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:38
S147	17	S146 and ((@rlad<"20030610") or (@ad<"20030610")) and meeting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:38
S148	80	S144 and ((455/4\$\$ccls.) or ("379"/\$.ccls.))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:40
S149	17	S148 and calendar\$3 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:40
S150	5	S149 and ((@rlad<"20030610") or (@ad<"20030610")) and meeting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:40
S151	0	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and ((during with meeting) same (second near5 (profile or mode or feature or function)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:47
S152	34	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and (meeting same (second near5 (profile or mode or feature or function)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:49
S153	3	S152 and calendar\$3 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:51

S154	0	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and (meeting with silent with mode) and (compar\$3 near5 (profile or feature or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:57
S155	1463	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and (compar\$3 near5 (profile or feature or function))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:58
S156	2	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and ((compar\$3 near5 (profile or feature or function)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 08:58
S157	2	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and ((compar\$3 near5 (profile or feature or function or mode)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:01
S158	10	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and ((priority near5 (profile or feature or function or mode)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:01
S159	6	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and ((priority near5 (feature or function or mode)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:02
S160	4	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and ((priority near5 (profile or feature or function or mode)) same calendar\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:07
S161	38	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and (((between or which) near5 (profile or feature or function or mode)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:46
S163	17	S161 and calendar\$3 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:47

S164	1	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and silent and vibrat\$3 and calendar\$3 and server and (((between or which) near5 (profile or feature or function or mode)) same meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:54
S165	0	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and silent and vibrat\$3 and calendar\$3 and server and (overrid\$3 with (chang\$3 or modification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:57
S166	24	((@rlad<"20030610") or (@ad<"20030610")) and ((455/4\$\$ccls.) or ("379"/\$.ccls.)) and calendar\$3 and server and (overrid\$3 with (chang\$3 or modification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:58
S167	0	S166 and silent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:58
S168	2	S166 and vibrat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 09:58
S169	47	((alarm with application) same calendar) and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:38
S170	26	S169 and (user with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:39
S171	5	S170 and ((@rlad<"20030610") or (@ad<"20030610"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:39
S172	5	S170 and ((@rlad<"20030610") or (@ad<"20030610")) and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:40

S173	3	S170 and ((@rlad<"20030610") or (@ad<"20030610")) and server and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:41
S174	5225	(user with control\$4 with (feature or function)) and ((@rlad<"20030610") or (@ad<"20030610")) and server and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:45
S175	365	S174 and (455/4\$\$ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:46
S176	83	S174 and (455/4\$\$ccls.) and calendar	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:46
S177	57	S174 and (455/4\$\$ccls.) and calendar and mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:46
S178	57	S174 and (455/4\$\$ccls.) and calendar and mode and profile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:46
S179	16	S178 and (alarm with meeting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/17 15:50

12/ 18/ 2009 11:10:54 AM

C:\ Documents and Settings\ fdonado\ My Documents\ EAST\ Workspaces\ 10559959.wsp